EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	232	((KAZUO) near2 (SATO)).INV.	US-PGPUB; USPAT	OR	ON	2007/07/18 09:41
S3	7	(workpiece and transmitting with resin).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 09:56
S4	719	(workpiece and resin).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 09:18
S5	8	(workpiece and resin).clm. and "347".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 16:18
S6	122	(workpiece).clm. and "347".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 09:19
S7	48	(workpiece and laser).clm. and "347".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 09:28
S8	5	(resin and transmitting and laser).clm. and "347".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 09:28
S9	4	(resin and transmissive and laser).clm. and "347".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 09:29
S10	574	marking with three-dimensional	US-PGPUB; USPAT	OR	ON	2007/07/18 17:15
S11	45	laser with marking with three-dimensional	US-PGPUB; USPAT	OR	ON	2007/07/18 17:33

S12	1292	(laser with marking).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 09:57
S13	128	(laser with marking).clm. and "347".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 09:57
S14	53	(laser with marking).clm. and "347".clas. and dot	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 17:26
S15	10	(laser with marking).clm. and "347".clas. and three with dimensional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 10:21
S16	35	(laser with marking)and "347".clas. and three with dimensional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 10:23
S17	18	(marking)and "347".clas. and three with dimensional and dot with density	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 10:24
S18	30	(marking)and "347".clas. and three with dimensional and position with mark	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 10:29
S19	2	("4,822,973").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 10:29
S20	17	("4286250" | "4489230" | "4584456" | "4694138").PN. OR ("4822973").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/18 10:34

EAST Search History

S21	7	dot with marking and "347".clas. and laser and three with dimensional	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/18 10:34
S22	306	(347/240).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 17:32
S23	12	S22 and three with dimensional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 16:52
S24	57	marking with three-dimensional and security	US-PGPUB; USPAT	OR	ON	2007/07/18 17:15
S25	5	"27" near10 "fig."	US-PGPUB; USPAT	OR	ON	2007/07/18 17:20
S26	7	"27" near15 "fig."	US-PGPUB; USPAT	OR	ON	2007/07/18 17:21
S27	0	"27" near15 "fig." and laser	US-PGPUB; USPAT	OR	ON	2007/07/18 17:21
S28	0	"27" near15 "fig" and laser	US-PGPUB; USPAT	OR	ON	2007/07/18 17:21
S29	0	"27" near25 "fig" and laser	US-PGPUB; USPAT	OR	ON	2007/07/18 17:21
S30	0	"0027" near25 "fig" and laser	US-PGPUB; USPAT	OR	ON	2007/07/18 17:21
S31	0	"fig. near 16" and laser	US-PGPUB; USPAT	OR	ON	2007/07/18 17:22
S32	9056	"27" near6 laser	US-PGPUB; USPAT	OR	ON	2007/07/18 17:22
S33	385	"27" near6 laser and "347".clas.	US-PGPUB; USPAT	OR	ON	2007/07/18 17:22
S34	43	"27" near6 laser and "347".clas. and marking	US-PGPUB; USPAT	OR	ON	2007/07/18 17:23
S35	43	("27") near6 laser and "347".clas. and marking	US-PGPUB; USPAT	OR	ON	2007/07/18 17:23
S36	5	("27") near6 "fig." S29 and "347". clas. and marking	US-PGPUB; USPAT	OR	ON	2007/07/18 17:24
S37	2	"27" near "fig." S29	US-PGPUB; USPAT	OR	ON	2007/07/18 17:25

S38	221274	"27" same x	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 17:26
S39	111466	"27" same x same y	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 17:27
S40	21377	"27" same x same area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 17:27
S41	340655	"27" same area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 17:27
S42	2725	"27" same area and "347".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 17:28
S43	905	"27" same area and "347".clas. and laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 17:28
S44	636	"27" same area and "347".clas. and laser and three	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 17:29
S45	0	S40 same area and "347".clas. and laser and three and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 17:30

S46	22	S40 same x same area and "347". clas. and laser and three	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 17:30
S47	2	S22 and security	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 17:32
S48	21	(dot with density).clm. and laser with marking	US-PGPUB; USPAT	OR	ON	2007/07/18 17:39
S49	0	(dot with measure with density). clm. and laser with marking	US-PGPUB; USPAT	OR	ON	2007/07/18 17:39
S50	4	(dot with density).clm. and laser with marking and measure with density	US-PGPUB; USPAT	OR	ON	2007/07/18 17:40
S51	961	measure with density and three-dimensional and imaging	US-PGPUB; USPAT	OR	ON	2007/07/18 17:41
S52	418	measure with density and three-dimensional and imaging and laser	US-PGPUB; USPAT	OR	ON	2007/07/18 17:41
S53	3	measure with density and three-dimensional and workpiece and laser	US-PGPUB; USPAT	OR	ON	2007/07/18 17:41
S54	6	measure with density and three with dimensional and workpiece and laser	US-PGPUB; USPAT	OR	ON	2007/07/18 17:42
S55	25	pixel with density and three with dimensional and workpiece and laser	US-PGPUB; USPAT	OR	ON	2007/07/18 17:42
S56	2	"20020041323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 18:05
S57	822	347/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 18:05

S58	482	347/224.ccls. and laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 18:05
S59	19	347/224.ccls. and laser and workpiece	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 18:08
S60	0	07-076167	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 18:08
S61	3	"07076167"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 18:09
S62	5	"03124486"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 18:11
S63	5	"2003088966"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 18:11
S64	28	("3858359" | "4748453" | "4763281" | "5186983" | "5373350" | "5434956" | "5446559" | "5790915" | "5806996" | "5893678" | "5925889" | "5927872" | "5931166" | "6058843" | "6059392" | "6062686" | "6074693" | "6116707" | "6173904" | "6227643" | "6241410" | "6295737" | "6298154" | "6299934" | "6536345" | "6561607" | "6719467" | "6729706").PN. OR ("6951375").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/18 18:15

S65	141	pixel near3 sensor and workpiece	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/18 18:18
S66	2960	pixel near3 sensor and three with dimensional	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/18 18:18
S67	137	pixel near3 sensor and three with dimensional and prototype	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/18 18:18
S68	1841	pixel near3 sensor and three with dimensional and laser	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/18 18:18
S69	90	pixel near3 sensor and three with dimensional and laser and position with information with pixel	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/18 18:22
S70	1180	pixel near3 sensor and three with dimensional and laser and position with pixel	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/18 18:22
S71	54	pixel near3 sensor and three with dimensional and laser and position with pixel and "347".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/18 18:22
S72	3	pixel with workpiece and three-dimension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 11:11
S73	0	pixel with diameter and workpiece and three-dimension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 11:11
S74	42	pixel with diameter and three-dimension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 11:21
S75	35	dot with diameter and three-dimension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 11:21

EAST Search History

S76	146	dot with diameter and prototype	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 11:42
S77	12	three-dimensional with dot near depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 11:44
S78	17	(400/129).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 11:48
S79	52	measure with dot with diameter and "347".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 11:50
S80	34	measure with dot with diameter and laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 11:56
S81	236	dot near depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 11:57
S82	1	measure with dot near depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 11:57
S83	2392	pixel near depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 11:59

S84	34	pixel near depth and "347".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 12:07
S85	10	pixel near depth and workpiece	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 12:07
S86	11	workpiece and transmissive and resin and "347".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 16:18
S87	3	workpiece and transmissive and resin and "347".clas. and laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 16:19
S88	56	workpiece and transmissive and resin and reflect and laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 16:20
S89	306	(347/240).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/23 06:55
S90	14	dot near information and laser near marking	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 12:25
S91	7	dot near information and laser near marking and dot with depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 12:27

EAST Search History

S92	8	dot near information and laser near marking and depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 12:28
S93	2	coordinate near information and laser near marking and depth and dot	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 12:27
S94	1081	laser near marking and depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 12:28
S95	723	laser near marking and depth and object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 12:28
S96	158	laser near marking and depth and object and coordinate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 12:29
S97	22	laser near marking and depth and object and coordinate with spot	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 12:32
S98	122	laser near marking and sato	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 12:35
S99	17	laser near marking and spot near density	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 12:37

S10 0	312	(347/240).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/05 12:37
S10 1	1	10/578249	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 19:48
S10 2	0	(laser with marking) and workpiece and (three-dimensions)	US-PGPUB; USPAT	OR	ON	2008/01/05 18:14
S10 3	46	(laser with marking) and workpiece and (map)	US-PGPUB; USPAT	OR	ON	2008/01/05 19:41
S10 4	2	("5,340,962").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/05 19:41
S10 5	17	card with laser near marking and position	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 20:24
S10 6	1	card with laser near marking and focal with thickness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 20:25
S10 7	25	laser near marking and focal with thickness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 20:27
S10 8	5	laser near marking and measure with thickness and focal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 20:31
S10 9	1	"5837962".PN.	USPAT; USOCR	OR	ON	2008/01/05 20:27
S11 0	1	"20020057481".PN.	US-PGPUB	OR	ON	2008/01/05 20:28

S11 1	19	laser with marking and measure with thickness and focal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 20:41
S11 2	56	laser with marking and three-dimensional with measurement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 20:54
S11 4	7	S113 and laser with marking	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 20:55
S11 5	0	"705".ccls. and laser with marking	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 20:55
S11 6	69	"705".clas. and laser with marking	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 20:56
S11 7	168	x and y and z and focal with point and laser with marking	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 20:57
S11 8	0	measure with (x and y and z) and focal with point and laser with marking	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 20:58
S11 9	6	measure with focal with point and laser with marking	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 20:58

EAST Search History

S120	18380851	JP 60-221186	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 21:13
S121	3	"60221186"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 21:14
S122	0	"60 near 221186"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/05 21:14